

Radial Tubes	P-METRIC*					ALPHA NUMERIC			
	GROUP SIZE	SERIES				MET	SERIES		
	80	75	70	60	78		70	60	
Conversions are suggestions only and not manufacturer's recommendations.									
DR 12 / 13 / 14	P145 / 80 RBD-12	--	--	--	135R-12	--	--	--	4.50-12
--	P155 / 80 RBD-12	--	--	--	145R-12	--	--	--	5.30-12
--	--	--	--	--	155R-12	--	--	--	5.20-14
--	--	--	--	--	--	--	--	--	6.50-14
--	--	--	--	--	145R-13	--	--	--	7.00-14
--	--	--	--	--	155R-13	--	--	--	6-14
ER 12 / 13	--	--	P165 / 70 RBD-12	--	--	--	--	--	5.50-12
--	--	--	--	--	--	--	--	--	5.60-12
--	--	--	--	--	--	--	--	--	6.00-12
--	--	--	--	--	--	--	--	--	6-12
--	P145 / 80 RBD-13	P165 / 75 RBD-13	P175 / 70 RBD-13	--	165R-13	--	--	AR 60-13	5.60-13
--	P155 / 80 RBD-13	P175 / 75 RBD-13	--	--	--	--	--	BR 60-13	5.90-13
--	P165 / 80 RBD-13	--	--	--	--	--	--	--	6.00-13
--	--	--	--	--	--	--	--	--	6.15 / 155-13
FR 13 / 14	P175 / 80 RBD-13	P185 / 75 RBD-13	P185 / 80 RBD-13	--	175R-13	AR 78-13	AR 70-13	--	6.40-13
--	P185 / 80 RBD-13	P195 / 75 RBD-13	P195 / 70 RBD-13	--	--	BR 78-13	BR 70-13	--	6.50-13
--	--	--	--	--	--	CR 78-13	CR 70-13	--	6.70-13
--	--	--	--	--	--	--	--	--	7.00-13
--	P175 / 80 RBD-14	P175 / 75 RBD-14	P185 / 70 RBD-14	P205 / 60 RBD-14	165R-14	BR 78-14	CR 70-14	--	5.60-14
--	P185 / 80 RBD-14	--	--	P215 / 60 RBD-14	175R-14	CR 78-14	DR 70-14	--	6.00-14
--	--	--	--	--	185R-14	DR 78-14	--	--	7.35-14
--	--	--	--	--	--	--	--	--	7-14
FR 15	P155 / 80 RBD-15	P175 / 75 RBD-15	--	--	155R-15	BR 78-15	--	--	5.60-15
--	P165 / 80 RBD-15	--	--	--	165R-15	--	--	--	5.90-15
--	--	--	--	--	175R-15	--	--	--	6.00-15
--	--	--	--	--	--	--	--	--	6.85-15
GR 13 / 14 / 15	--	--	P205 / 70 RBD-13	--	185R-13	--	DR 70-13	--	--
--	--	--	--	--	195R-13	--	--	--	--
--	--	P185 / 75 RBD-14	P195 / 70 RBD-14	P225 / 60 RBD-14	195R-14	ER 78-14	ER 70-14	ER 60-14	--
--	--	P195 / 75 RBD-14	P205 / 70 RBD-14	--	--	FR 78-14	FR 70-14	--	--
--	--	P205 / 75 RBD-14	P215 / 70 RBD-14	--	--	GR 78-14	GR 70-14	--	7.00-14 LT#
--	--	--	--	--	--	--	--	--	7.9-14 LT#
--	--	--	--	--	--	ER 78-14 LT#	--	--	26 x 8.50 RBD-14 LT#
--	--	--	--	--	--	--	--	CR 60-14	--
--	--	--	--	--	--	--	--	GR 60-14	--
--	P195 / 80 RBD-15	P185 / 75 RBD-15	P195 / 70 RBD-15	P195 / 60 RBD-15	185R-15	CR 78-15	CR 70-15	CR 60-15	25 x 7.50 RBD-15#
--	--	P195 / 75 RBD-15	P205 / 70 RBD-15	P205 / 60 RBD-15	195R-15	DR 78-15	DR 70-15	DR 60-15	--
--	--	P205 / 75 RBD-15	--	P215 / 60 RBD-15	--	ER 78-15	ER 70-15	ER 60-15	--
--	--	--	--	--	--	FR 78-15	FR 70-15	--	--
--	--	--	--	--	--	GR 78-15	--	--	--
KR 14 / 15	--	--	P225 / 70 RBD-14	P235 / 60 RBD-14	--	--	--	--	--
--	--	P215 / 75 RBD-14	P215 / 70 RBD-15	P2205 / 60 RBD-15	205R-14	--	HR 70-14	FR 60-14	7.50-14
--	--	P215 / 75 RBD-15	P225 / 70 RBD-15	P235 / 60 RBD-15	215R-14	--	--	--	8.25-14
--	--	P225 / 75 RBD-14	--	--	225R-14	--	--	--	9.50-14
--	--	P225 / 75 RBD-15	P235 / 70 RBD-15	P245 / 60 RBD-15	205R-15	HR 78-15	GR 70-15	GR 60-15	7.35-15
--	--	P235 / 75 RBD-14	--	--	215R-15	JR 78-15	HR 70-15	HR 60-15	8.20-15
--	--	P235 / 75 RBD-15	--	--	--	LR 78-15	--	--	8.55-15
MR 14 / 15	--	--	P235 / 70 RBD-14	--	--	HR 78-14	--	JR 60-14	--
--	--	--	--	--	--	JR 78-14	--	LR 60-14	--
--	--	--	--	--	--	--	--	MR 60-14	--
--	--	--	P245 / 70 RBD-15	P225 / 60 RBD-15	225R-15	NR 78-15	JR 70-15	LR 60-15	8.90-15
--	--	--	P225 / 70 RBD-15	P275 / 60 RBD-15	235R-15	--	KR 70-15	MR 60-15	9.00-15
--	--	--	--	--	--	--	LR 70-15	NR 60-15	9.15-15

RADIAL TUBES ALSO FIT CORRESPONDING SIZE BIAS TIRES.

* R=Radial; B=Bias; D=Diagonal Belted Tire

Apply TR B6 Bushing

Bias Tubes	P-METRIC*				ALPHA NUMERIC				
	GROUP SIZE	SERIES				SERIES			NUM
	80	75	70	60	78	70	60		
Conversions are suggestions only and not manufacturer's recommendations.									
F-13 / 14	P175 / 80 BD-13	P185 / 75 BD-13	P185 / 70 BD-13	--	A78-13	A70-13	--	6.40-13	
--	P185 / 80 BD-13	P195 / 75 BD-13	P195 / 70 BD-13	--	B78-13	B70-13	--	6.50-13	
--	--	--	--	--	C78-13	C70-13	--	6.70-13	
--	--	--	--	--	--	--	--	7.00-13	
--	P175 / 80 BD-14	P175 / 75 BD-14	P185 / 70 BD-14	P205 / 60 BD-14	B78-14	C70-14	--	5.60-14	
--	P185 / 80 BD-14	--	--	P215 / 60 BD-14	C78-14	D70-14	--	6.00-14	
--	--	--	--	--	D78-14	--	--	7.35-14	
--	--	--	--	--	--	--	--	7-14	
F-15	P155 / 80 BD-15	P175 / 75 BD-15	--	--	B78-15	--	--	5.60-15	
--	P165 / 80 BD-15	--	--	--	--	--	--	5.90-15	
--	--	--	--	--	--	--	--	6.00-15	
--	--	--	--	--	--	--	--	6.85-15	
G-13 / 14 / 15	--	--	P205 / 70 BD-13	--	--	D70-13	--	--	
--	--	P185 / 75 BD-14	P195 / 70 BD-14	P225 / 60 BD-14	E78-14	E70-14	--	--	
--	--	P195 / 75 BD-14	P205 / 70 BD-14	--	F78-14	F70-14	E60-14	--	
--	--	P205 / 75 BD-14	P215 / 70 BD-14	--	G78-14	G70-14	--	7.00-14 LT#	
--	--	--	--	--	--	--	--	7.9-14 LT#	
--	--	--	--	--	E78-14 LT#	--	--	26 x 8.50 BD-14 LT#	
--	--	--	P225 / 70 BD-14	P235 / 60 BD-14	--	G70-14	C60-14	--	
--	--	--	--	--	--	--	G60-14	--	
--	P195 / 80 BD-15	P185 / 75 BD-15	P195 / 70 BD-15	P195 / 0 BD-15	C78-15	C70-15	C60-15	25 x 7.50R BD-15#	
--	--	P195 / 75 BD-15	P205 / 70 BD-15	P205 / 60 BD-15	D78-15	D70-15	D60-15	--	
--	--	P205 / 75 BD-15	--	P215 / 60 BD-15	E78-15	E70-15	E60-15	--	
--	--	--	--	--	F78-15	F70-15	--	--	
--	--	--	--	--	G78-15	--	--	--	
K-14 / 15	--	P215 / 75 BD-14	P215 / 70 BD-15	P225 / 60 BD-15	--	H70-14	F60-15	7.50-14	
--	--	P215 / 75 BD-15	P225 / 70 BD-15	P235 / 60 BD-15	--	--	--	8.25-14	
--	--	P225 / 75 BD-14	--	--	--	--	--	9.50-14	
--	--	P225 / 75 BD-15	P235 / 70 BD-15	P245 / 60 BD-15	H78-15	G70-15	G60-15	7.35-15	
--	--	P235 / 75 BD-14	--	--	J78-15	H70-15	H60-15	8.20-15	
--	--	P235 / 75 BD-15	--	--	L78-15	--	--	8.55-15	
M-14 / 15	--	--	P235 / 70 BD-14	--	H78-14	--	J60-14	--	
--	--	--	--	--	J78-14	--	L60-14	--	
--	--	--	--	--	--	--	M60-14	--	
--	--	--	P245 / 70 BD-15	P225 / 60 BD-15	N78-15	J70-15	L60-15	8.90-15	
--	--	--	P225 / 70 BD-15	P275 / 60 BD-15	--	K70-15	M60-15	9.00-15	
--	--	--	--	--	--	L70-15	N60-15	9.15-15	
G/K-16	--	--	--	--	--	--	--	6.50-16	
--	--	--	--	--	--	--	--	6.70-16	
--	--	--	--	--	--	--	--	7.00-16	
--	--	--	--	--	--	--	--	7.60-16	

DO NOT USE BIAS TUBES IN RADIAL TIRES.

* B=Bias; D=Diagonal Belted Tire

Apply TR B6 Bushing

Tire Size	Tube (Always check stem)
9/350-4	280/250-4
11/400-4	410-4
13/500-6	11/400-5
15/600-6	690/600-6
145/70-6	530-6
18/7-8	570-8
17.5/5.75-8	570-8
20/1000-8	18/950-8
21/1100-8	18/950-8
22/1100-8	18/950-8
23/900-10	650/750-10
20/1200-10	20/800-10
24/7.25-12	23/850-12
28/9-12	700-12
6-14	F14
38911	F14
40-14	1100-15 TR179 LPT
25.5-80-14	600-14 OR F13/14
30/1150-14.5	28/12-15
30/1150-15	28/12-15
25/750-15	MR15
27/950-15	MR15 or 27/850-15
27/1050-15	27/850-15
29/1250-15	G31/29-15
31/1250-15	G31/29-15
31/1350-15	G31/29-15
31/1550-15	G31/29-15 or 12.5L15/16
33/12.50-15	G31/29-15
250-15	700/750-15 TR75
300-15	32/12-15
28/9-15	815-15
27/850-15 Bent Stem	815-15
27/850-15	K14/15
25/1250-15	27-1050-15
29-9.0-15	MR15
N50-15	9/10/11-15 TR13
255/70-15 (For dirt track)	11L15 TR218
275/60-15 (For dirt track)	11L15 TR218
31/13.50-15	11115
11.5/80-15.3	11115/16

Tire Size	Tube (Always check stem)
7-16	550/600-16
36/11-16	900-15 LPT
44-16	1100-20
1250-16 Split Rim	900/1000-15
1250-16 One Piece	12.5L 15/16
1700-16	14L16.1
29-6.25-16	550/600-16
8.3-16	240/70-16
9.5-16	300/70-16
38-2000-16.1	18.4-16.1
49-7	1400-20 (American Only)
345-975-18	750-18
13.0-6.5-18	14L16.1
15.5/70-18	15-19.5
8.3-18	260/70-18
9.5-18	300/70-18
47-18-18	1200-20
34.5-9.75-18	750-18 TR75
8.3-20	260/70-20
9.5-20	300/70-20
11.2-20	320/70-20
12.4-20	360/70-20
13.6-20	380/70-20
1550-20	1200-20
16/70-20	15-19.5
355/80D20	15-19.5 or 1400-20
38/1400-2	15-19.5
1600/70-20	15-19.5
G-20	1400R20
365/80R20	1200R20/1480R20
38/1800-20	18-19.5
42/2500-20	18-19.5
44/1800-20	18-19.5
44/4100-20	1800R20 TR179
48/2500-20	16/800R20 TR78
48/3100-20	1800R20 TR179
1700-20	1400-20
2000-20	1600-24 Bendable Stem
23-21	18-22.5 Check Stem
11.2-24	320/70-24

Tire Size	Tube (Always check stem)
12.4-24	360/70-24
13.6-24	380/70-24 or 440/65-24
14.9-24	420/70-24 or 480/65-24
16.9-24	480/70-24 or 540/65-24
66/4400-25	29.5-25
67/3400-25	28L26
16.9-26	480/70-26 or 540/65-26
18.4-26	520/70-26
23.1-26	620/70-26 or 620/75-26
28L26	750/65-42
11.2-28	320/70-28
12.4-28	360/70-28
13.6-28	380/70-28 or 440/65-28
14.9-28	420/70-28 or 480/65-28
16.9-28	480/70-28 or 540/65-28
18.4-28	520/70-28 or 600/65-28
6-30	7.2-30
14.9-30	420/70-30
16.9-30	480/70-30 or 540/65-30
18.4-30	520/70-30
23.1-30	620/75-30

Tire Size	Tube (Always check stem)
9.5-32	230/95-32
24.5-32	650/75-32
73/4400-32	30.5L32
16.9-34	480/70-34 or 540/65-34
18.4-34	520/70-34 or 600/65-34
23.1-34	620/75-34
9.5-36	230/95-36
16.9-38	480/70-38 or 540/65-34
18.4-38	520/70-38 or 600/65-38
20.8-38	580/70-38 or 650/65-38 or 650/75-34
9.5-40	230/95-40
20.8-42	580/70-42 or 650/65-42
20.8-42	710/70-38 or 710/75-34
12.4-46	320-90-46
14.9-46	420/80-46
16.9-46	420/80-46
12.4-50	320-90-50
11.2-54	270/95-54
8.3-16	240/70-16

Aircraft Size	Item # to Use	Size Description
50x20x20,50x21-20,2000x20	120720	1600R-20 TR179A
H46X18X20, 49X17, 1700X20	120710	1400R-20 TR179A
44X16,44.5X16.5X18, H44.5X16.5X20, 46X16	120670	1200R-20 TR179A
39X13, 12.50X16, 40X14	140825	9/10/1100R-15 TR78A
36X11, 37X11.50X16	140810	825R-15 TR77A
34X11, 30X11.50X14.50, 30X8.8x15	140800	750R-15 TR75A
34.5X9.75X18	80250	700/750R-17/18 TR75A
H40X14.5X19	120650	1000R-20 TR78A

Conversions are suggestions only and not manufactures recommendations.